CLIFTON HILL PRIMARY SCHOOL DIABETES POLICY

Purpose of this policy

To ensure Clifton Hill Primary School support students with diabetes, and to provide advice to develop and implement support and management plans for students living with diabetes.

Policy

All schools are required to ensure that students with type 1 diabetes have:

- a current individual Diabetes Management Plan prepared by the student's treating medical team (provided by parents/carers)
- a current Diabetes Action Plan prepared by the student's treating medical team (provided by parents/carers); and
- a Student Health Support Plan, developed by the school in consultation with the parents/carers and where appropriate the student's treating medical team.
- A Medication Authority Form detailing the medications required during regular school hours, the dose, administration and storage

Principals should ensure the following training requirements:

- all staff complete basic level training so they have an awareness of what type 1 diabetes is and how to respond safely to an emergency
- that responsible staff undertake appropriate training to develop confidence and competence to implement a student's Diabetes Management Plan and Diabetes Action Plan
- training is up-to-date and appropriate in light of any changes to a student's Health Support Plan.

PRIMARY SCHOOL Gold Street CLIFTON H reet CLIFTON HILL PRIMARY SCHOOL Gold S

Details

Diabetes is considered a disability under the Disability Standards for Education 2005 (Cth) and the Equal Opportunity Act 2010 (Vic).

Therefore schools have a legal obligation to make reasonable adjustments for students with diabetes to enable them to participate in their education on the same basis as their peers, regardless of whether they are funded under the Program for Students with Disabilities.

Children and young people with diabetes are no more likely to be sick than other young people and can generally be expected to do everything their peers do. However, at times they may need additional support or special consideration to ensure they are able to participate in education and training on the same basis as other students.

An example of a reasonable adjustment could be having an appropriately trained person administer insulin where a student is unable to self-administer safely. In addition, schools have an ongoing duty of care obligation to their students to take reasonable steps to reduce the risks of reasonably foreseeable harm. Schools should refer to the Diabetes Guidelines in the guidance tab for further information on reasonable adjustments for students with diabetes.

Definitions

Type 1 Diabetes is an auto-immune condition which occurs when the immune system damages the insulin producing cells in the pancreas. Insulin is the hormone that controls blood glucose levels (BGLs). This condition is predominantly treated with insulin replacement via multiple injections each day or a continuous infusion via a pump. Without insulin treatment, type 1 diabetes is life threatening.

Type 2 Diabetes occurs when either insulin is not working effectively (insulin resistance) or the pancreas does not produce sufficient insulin (or a combination of both). Type 2 diabetes accounts for around 85 per cent of all cases of diabetes, but less than 5% of cases in the school-based population. Type 2 diabetes usually develops in adults over the age of 45 years, but it is increasingly occurring at a younger age. Type 2 diabetes is initially managed with a healthy diet and lifestyle and/or medication that could include tablets and/or insulin.

Note: Type 2 diabetes is usually managed by diet and is not necessarily dependent on insulin injections for treatment. Thus, students with type 2 diabetes do not require an individual Diabetes Management Plan or Student Health Support Plan unless specifically requested by the student's treating medical team.

Hypoglycaemia (Hypo) - Low blood glucose

Hypoglycaemia occurs when the blood glucose level drops below a normal level. Hypoglycaemia can be caused by too much insulin; delaying a meal; not enough food; or unplanned or unusual exercise. A 'hypo' can be dangerous if not treated promptly and can potentially cause irrational or confused behaviour, a seizure and possible loss of consciousness. It is important to treat hypos rapidly as students can feel unwell and their judgment and cognitive abilities may be impaired.



Hyperglycaemia (Hyper) – High blood glucose

Hyperglycaemia is a condition in which the blood glucose increases above the normal level. Hyperglycaemia can be caused by insufficient insulin; too much food; common illness; and/or stress. This state should be avoided where possible and persistent high levels reported back to parents.

Responsible staff voluntarily agree to undertake training and provide treatment and support to students with type 1 diabetes as outlined in the Diabetes Management Plan, Diabetes Action Plan and student Health Support Plan.

Diabetes Management Plans

Upon enrolment or when a health care need, such as diabetes, is identified, schools in conjunction with parents or carers and the student's treating medical team are required to develop a clear and tailored health support plan to support the student's individual health care needs.

Schools have a legal obligation to consult with the student and parents or carers about the needs of the student and what reasonable adjustments must be made.

Schools should consult initially with parents or carers and on an ongoing basis through regular <u>Student Support Groups</u> or other meetings or methods of communication.

<u>Diabetes Management Plans</u> and Action Plans (with companion documents) must be completed and signed by the hospital treating team responsible for the student's diabetes care before being provided to the school by the student's parents or carers.

To ensure all relevant parties have been consulted and are in agreement with the stated plan of care for school the <u>Diabetes Management Plan</u> must be signed by the parent or carer; diabetes educator or doctor (specialist endocrinologist or paediatrician) and the preschool or school principal or head teacher.

The school must develop a <u>Student Health Support Plan (DOCX)</u> in consultation with parents or carers when appropriate for the student and where appropriate the student's treating medical team.

Support to Students

A student's individualised <u>Diabetes Management Plan</u> and <u>Diabetes Action Plan</u> documents the treatment prescribed by the diabetes treating team, to manage the condition throughout the school day and when blood glucose falls outside the normal range.



ON HILL PRIMARY SCHOOL Gold Street CLIFTON HILL PRIMARY S Street CLIFTON HILL PRIMARY SCHOOL Gold Street CLIFTON H RY SCHOOL Gold Street CLIFTON HILL PRIMARY SCHOOL Gold S

The <u>Student Health Support Plan (DOCX)</u>, to be completed by the school, summarises how schools will implement these plans, including any reasonable adjustments the school will make to support students to participate fully at school.

These plans, once signed by the parents/carers and school representative, authorise the school to provide the prescribed treatment and consent for the agreed supports to be put into place.

Responsible Staff members voluntarily agree to take on responsibility for supporting students with type 1 diabetes, as documented in the Diabetes Management Plan, Diabetes Action Plan and the Student Health Support Plan. Ideally this role is held by staff members who have regular oversight of the student at school and a close relationship. This could be the classroom or homeroom teacher, school nurse or student welfare coordinator, assistant principal or office administrator.

It is recommended that at least three people on staff hold the role of Responsible Staff member to allow for staff absences. The principal cannot compel a staff member to become a Responsible Staff member. It is a voluntary role.

For the <u>student health support planning (DOCX)</u> process to be most effective, schools should work closely with families to plan, implement and review agreed strategies to support students to participate fully at school. To achieve this, a focus on communication, training, treatment and reasonable adjustments is recommended. Refer to the <u>Guidance tab</u> for further information.

Students should be supported to learn to take responsibility for the management of their own health needs in non-emergency situations where possible. However, diabetes management in younger students may be harder to achieve given their various stages of development and complexity of Blood Glucose Levels (BGL) monitoring and treatment. Individual children will become independent at various ages therefore additional support by educators and support staff may be necessary until this time occurs.

Staff training

Principals must:

- ensure all staff are aware of which students have type 1 diabetes, have a basic understanding of diabetes and know how to safely respond in an emergency
- ensure a sufficient number of Responsible Staff are trained, capable and available daily to provide the treatment prescribed in a student's individual Diabetes
 Management Plan and Diabetes Action Plan
- fund and facilitate professional development for school staff, appropriate to a student's individual needs

All staff need:

a basic understanding of type 1 diabetes and how to respond in an emergency. It's
recommended that schools use the Diabetes Victoria Diabetes at School online education
package that can be accessed by all school staff.

The 3 to 5-minute, self-directed learning modules will help to ensure that all school staff understand type 1 diabetes and how it impacts on a student's day to day life, provide



ON HILL PRIMARY SCHOOL Gold Street CLIFTON HILL PRIMARY S Street CLIFTON HILL PRIMARY SCHOOL Gold Street CLIFTON H RY SCHOOL Gold Street CLIFTON HILL PRIMARY SCHOOL Gold S

knowledge about how to respond appropriately to students experiencing hypoglycaemia and hyperglycaemia and information about Diabetes Action and Management plans.

Responsible staff must:

• undertake appropriate training to develop confidence and competence to provide the treatment prescribed in the Diabetes Management Plan and Diabetes Action Plan.

Impact at school

Most students with diabetes can enjoy and participate in school life and curriculum to the full. However, due to their diabetes they may need:

- special consideration when participating in sport, excursions, camps and other activities
- extra diabetes management plans for overnight camps and excursions prepared by the student's treating medical team
- special consideration during exams and tests
- extra toilet provisions
- extra consideration if unwell
- some individual supervision
- to eat at additional times, especially when involved in physical activity
- special provisions for privacy when checking blood glucose levels and injecting insulin, if required.
 Students may require some time away from school to attend medical appointments, but in general, attendance at school should not be an ongoing issue.

Strategies

This table describes the different ways schools can support students in managing diabetes and make reasonable adjustments to enable students to participate in their education on the same basis as their peers who don't have diabetes.

Strategy	Description
Monitoring Blood Glucose Levels (BGLs)	The management of diabetes depends on balancing the effects on blood glucose levels. Food (carbohydrate), physical activity, insulin and stress can all impact on an individual's blood glucose levels.



Strategy

Description

Checking blood glucose levels requires a blood glucose monitor and finger pricking device. Most students should be able to perform BGL checks independently.

A student's Diabetes Management Plan should state monitoring times and the response to the BGL, as well as the method of relaying information about any changes in blood glucose levels. Depending on the student's age, a communication book can be used to provide information about the student's change in BGLs between parents/carers and the school.

Checking of BGL occurs at least four times a day to evaluate the insulin dose. Some of these checks will need to be done at school.

Most students can adequately manage their own BGL monitoring, however each case must be assessed individually and younger children will need some assistance or supervision.

Glucagon should not be necessary to administer in the day-to-day school context except under certain pre-arranged circumstances. This is why it does not appear in the Diabetes Action and Management Plans.

Glucagon is safe to administer with appropriate training. Under the Drugs, Poisons and Controlled Substances Act (1981) there is no reason why any trained adult, teacher or school staff member cannot administer a glucagon injection in appropriate circumstances such as when the student is experiencing a severe hypo preferably confirmed by BGL of <4.0mmol/L, or when an ambulance call out is greater than 30 minutes away.

It is the Principal's responsibility to decide how many staff need to be trained, but they must ensure that there will be enough trained staff around to be able to supervise students and to know how to deal with diabetes emergencies.

Administering Glucagon

Glucagon injection training can be obtained from the diabetes treating team who usually care for the child's diabetes or from other health professionals such as a general practitioner or Division 1 Registered Nurse. It is advised that



Strategy	Description
	while a trained parent or legal guardian can provide this training, a health professional is preferred.
	Administration of insulin during school hours may or may not be required as per the student's Diabetes Management Plan.
	Students who require assistance to administer their insulin can receive this support from a Responsible Staff member who has received appropriate training in the administration of insulin. The Principal should allocate staff to provide support in consultation with the relevant staff and the parents/carers of the student. Arrangements for administering insulin during school hours should be documented in the Student Health Support Plan.
	If insulin is administered at school, the student's parents/carers must provide clear advice regarding the dose and timing as per the Medication Authority Form.
Administering Insulin	The student's parents/carers should ensure instructions in these plans are updated as circumstances or health requirements change.
	It is important to establish a culture of inclusion and to support young people with diabetes so they can participate fully and safely at school.
	Young people with diabetes can be worried about and even avoid managing their diabetes at school. This can lead to medical complications, poor concentration and focus as well as problems such as social isolation, absenteeism, anxiety or depression.
Communication	Open communication between the school and parents/carers and students is key to ensuring optimal diabetes management and student engagement, as well as ensuring there is clarity and shared understanding in relation to roles and responsibilities for everyone involved in the student's care.



Strategy

Description

Schools and parents/carers should determine in each case what method will best facilitate regular and reliable communication between parties. Schools should be proactive in establishing effective communication lines to ensure parents/carers can regularly and easily relay health changes or updates to a student's individual Diabetes Management Plans. Communication books, emails and text messages to a nominated contact are strategies that may be considered.

Infection Control

Infection control procedures must be followed. These include providing clear instructions to relevant staff on how to prevent infection and cross contamination when checking blood glucose levels and administering insulin. This includes measures such as hand washing, one student/child one device, disposable lancets and syringes and the safe disposal of all medical waste.

Camps, excursions and special events enhance self-esteem, promote confidence and independence and are an important part of school education. Students with diabetes can generally participate fully in camps, excursions and special events.

Schools are required to make reasonable adjustments in order to enable the student to attend activities including excursions and camps.

- The student's Health Support Plan must be reviewed before a student attends an excursion or camp and a specific diabetes camp plan must be created by the student's treating medical team, in consultation with the parents or carers.
- Staff members who will provide assistance with the diabetes management must be identified.
 - Schools cannot require parental attendance as a condition of the student attending the excursion or camp. However if the parents or carers wish to attend the

Activities, Special Events, School Camps and Excursions



Strategy

Description

excursion or camp and this is consistent with school policy and practice in relation to parents attending excursions or camps, then this may be agreed to at the discretion of the principal.

 Schools must develop risk assessment plans in consultation with the student's parents or carers that identify foreseeable risks and provide reasonable steps to minimise and manage those risks. The plan must consider the potential for injury to the student and/or others and include details about the camp or excursion, including the location, remoteness, risk-level of the activities, transport and sleeping arrangements, proposed supervision and information relating to the student's needs and diabetes.

If schools are providing food in the event of camps or other special events, reasonable adjustments must be made to allow students with diabetes to participate. A discussion with the parents or carers prior to the event, camp or excursion is recommended to develop an appropriate response for each case.

School staff should make reasonable adjustments in their management of classroom activities and other special events to ensure students with diabetes are able to fully and safely engage in education and related activities.

Classroom Management and Special Activities

Strategies include restricting food-based rewards, ensuring suitable food/snack alternatives are available for class parties and altering food based curriculum activities (such as cooking and hospitality) to improve safety for students with diabetes. Staff should note that own food sharing between students is not safe for students with diabetes.



Ctrotom	
Strategy	

Description

Students should be encouraged to participate in physical activity as it has broad health and wellbeing benefits for the individual. However, special precautions are necessary for students with diabetes.

Exercise may affect blood glucose levels and as a result student's Diabetes Management Plans, Diabetes Action Plans and Health Support Plans must include specific advice on how staff should assist and monitor students participating in physical activity.

Exercise is not recommended when BGLs are outside of the target range particularly for students with high BGL levels as exercise may further increase BGLs.

Physical Activity

Extra caution should be taken when considering water sports for young people with diabetes as the environmental factors combined with unstable BGLs may increase the risk of drowning. Refer to the student's Diabetes Management Plan and Diabetes Action Plan.

Most students will have a food plan that fits in with regular school and care routines, avoiding the need to eat regularly in class or at odd times. Younger students may require extra supervision at meal and snack times to ensure they eat the food provided and do not share food with other students.

Meal requirements of students should be communicated to all supervising staff. All supervising staff must understand that students with diabetes cannot delay meal times and special consideration must be given to students with diabetes if an activity is running overtime. Families are responsible for providing schools with the food and drink needed by their child.

Timing Meals

Young people perform best at tests and exams when their BGLs are in the target range.

Exam Support



Strategy

Description

For exam and assessment tasks, schools are required to make reasonable adjustments for students with type 1 diabetes. These could include:

additional times for rest and to check their blood glucose levels before, during and after an exam, and/or take any medication

consuming food and water to prevent and/or treat a hypoglycaemic episode

easy access to toilets as high BG levels causes a need to urinate more frequently

permission to leave the room under supervision.

Exam support for students with Type 1 diabetes includes schools ensuring that they consider the Special Entry Access Scheme in consultation with the student. For Year 11 and 12 students this should be done at the beginning of the VCE year.

Note: While most students with type 2 diabetes will not require additional adjustments, there be may some students with type 2 diabetes who require this extra support. Parents/carers may request further information from the student's treating medical team.

Consideration should be given to maintaining adequately trained staff during times of staff changeover, while students are in the playground or under the supervision of relief, specialist and/or non-contact teachers. Principals should ensure all staff that have a supervisory role for students with diabetes have a general level of awareness and knowledge, and are able to quickly access information or support from staff who have received specific diabetes management training.

Staff continuity

Related policies

- Duty of Care
- Excursions
- Health Care Needs





ON HILL PRIMARY SCHOOL Gold Street CLIFTON HILL PRIMARY S

Street CLIFTON HILL PRIMARY SCHOOL Gold Street CLIFTON H

RY SCHOOL Gold Street CLIFTON HILL PRIMARY SCHOOL Gold S

TON HILL PRIMARY SCHOOL Gold Street CLIFTON HILL PRIMARY S

Medication

Additional Resources

Diabetes Victoria https://www.diabetesvic.org.au/

Policy Review and Approval

Policy last reviewed	July 2025
Approved by	Principal
Next scheduled review	June 2026
date	